

TECHNICAL DATA SHEET

PAVING STONE / Aga-Led® Type RGB

VERSION - 06.02.2017

STANDARD LUMINAIRE

Reference	PVS - LED RGB
Protection Class	IP68
Lighting Source	Aga-Led® Type RGB
Connector	Festoon
Dimensions	A: 80 x B: 80 x C:80mm A: 100 x B:100 x C:80mm A: 120 x B:120 x C:80mm <i>Dimensions on measure - on request</i> <i>Dimensions sur mesure - sur demande</i> <i>Maße auf Maßnahme - auf Anfrage</i>
Nb Lighting Unit	1 LED/unit
Power	2.4 W/unit
Voltage	24V
Connecting Cable	Cable PUR 4x0.75mm ² <i>Lenght to be determined</i>



FINISH

Color Finishing Profil

Standard	Polyester resin, weather and UV resistant
----------	---

ON REQUEST


Dimmable	YES (1-10V, Dali, KNX)
----------	------------------------

Ask technical departement for more information


LIGHTING SOURCE

Lighting Source	Aga-Led® Type RGB
Ref	09LS05B G2
Voltage	24V
Current	Red: 20mA-Green: 40mA-Blue: 40mA
Power	2.4W
Beam Angle	120°
Light Output - mcd	Red: 750 mcd Green: 2100 mcd Blue: 450 mcd
Lifetime	50'000h
Working T°	-20°C to +45°C
Environmental protection	Modified acrylate resin

PVS / AGA-LED® TYPE RGB - Festoon



AGA-LED® TYPE RGB - IP68



Don't hesitate to contact us for more information at:

info@agabekov.com

N'hésitez pas à nous contacter pour plus d'informations :

info@agabekov.com

Weitere Informationen erhalten Sie per E-Mail an

info@agabekov.com

CERTIFICAT



TECHNICAL DATA SHEET
PAVING STONE / Instruction of Installation

VERSION - 26.02.2016

1 Paving Stone IP68



2 Heat-Shrinkable Tube



LAYOUT OF INSTALLATION



Junction Box IP68
with silicone treatment



AGABEKOV



AGABEKOV SA Manufacture 6, ROUTE DE COMPOIS
CH-1222 VÉSENAZ - GENEVA - SWITZERLAND
Tel. +41 22 752 47 45 Fax. +41 22 752 37 08
E - mail: info@agabekov.com



AGABEKOV SA Bureau d'etudes 6, ROUTE DE COMPOIS
CH-1222 VÉSENAZ - GENEVA - SWITZERLAND
Tel. +41 22 752 47 45 Fax. +41 22 752 37 08
Internet: www.agabekov.com



TECHNICAL DATA SHEET

PAVING STONE / Wiring Diagram - KNX System

VERSION - 09.02.2017

